

# What are social networks?


NETWORK ANALYSIS IN R




**James Curley**

Associate Professor, University of Texas  
at Austin

# What are social networks?




# Network data: adjacency matrix



	A	B	C	D	E	F	G
A	0	1	1	1	1	1	0
B	1	0	0	0	0	0	0
C	1	0	0	0	0	0	0
D	1	0	0	0	0	0	0
E	1	0	0	0	0	1	0
F	1	0	0	0	1	0	1
G	0	0	0	0	0	1	0

# Network data: edgelist



A	B
A	C
A	D
A	E
A	F
E	F
F	G

# The igraph R package

A	B
A	C
A	D
A	E
A	F
E	F
F	G

```
library(igraph)

g <- graph.edgelist(as.matrix(df),
                   directed = FALSE)

g
```

```
IGRAPH UN-- 7 7 --
+ attr: name (v/c)
+ edges (vertex names):
[1] A--B A--C A--D A--E A--F E--F F--G
```

```
V(g)
```

```
+ 7/7 vertices, named:  
[1] A B C D E F G
```

```
E(g)
```

```
+ 7/7 edges (vertex names):  
[1] A--B A--C A--D A--E A--F E--F F--G
```


```
gorder(g)
```

```
[1] 7
```

```
gsize(g)
```

```
[1] 7
```

```
plot(g)
```



# Let's practice!

NETWORK ANALYSIS IN R

# Network Attributes

NETWORK ANALYSIS IN R




**James Curley**

Associate Professor, University of Texas  
at Austin





# Vertex attributes



g

```
IGRAPH UN-- 7 7 --  
+ attr: name (v/c)  
+ edges (vertex names):  
[1] A--B A--C A--D A--E A--F E--F F--G
```

# Edge attributes



## Adding Vertex Attributes

```
g <- set_vertex_attr(  
  g,  
  "age",  
  value = c(  
    20, 25, 21, 23, 24, 23, 22  
  )  
)
```

```
vertex_attr(g)
```

```
$name  
[1] "A" "B" "C" "D" "E" "F" "G"
```

```
$age  
[1] 20 25 21 23 24 23 22
```

## Adding Edge Attributes

```
g <- set_edge_attr(  
  g,  
  "frequency",  
  value = c(  
    2, 1, 1, 1, 3, 2, 4  
  )  
)
```

```
edge_attr(g)
```

```
$frequency  
[1] 2 1 1 1 3 2 4
```

# Adding attributes II

vertices.df


name	age
A	20
B	25
C	21
D	23
E	24
F	23
G	22

edges.df

from	to	frequency
A	B	2
A	C	1
A	D	1
A	E	1
A	F	3
E	F	2
F	G	4

```
graph_from_data_frame(d = edges.df, vertices = vertices.df,  
                      directed = FALSE)
```

# Subsetting networks



```
E(g)[[.inc('E')]]
```


```
+ 2/7 edges (vertex names):  
tail head tid hid frequency  
4 E A 5 1 1  
6 F E 6 5 2
```

```
E(g)[[frequency>=3]]
```

```
+ 2/7 edges (vertex names):  
tail head tid hid frequency  
5 F A 6 1 3  
7 G F 7 6 4
```

# Network visualization

```
V(g)$color <- ifelse(  
  V(g)$age > 22, "red", "white"  
)  
  
plot(  
  g,  
  vertex.label.color = "black"  
)
```



# Let's practice!

NETWORK ANALYSIS IN R

# Network visualization




NETWORK ANALYSIS IN R



**James Curley**


Associate Professor, University of Texas  
at Austin






# Styling vertices and edges


default




size




labels




color



shape



edges




# Choosing the appropriate layout


- Minimize edge crossing
- Do not allow vertices to overlap
- Make edge lengths as uniform as possible
- Increase symmetry of the network as much as possible
- Position more influential nodes towards the center

# igraph layouts


circle




fruchterman-reingold




kamada-kawai




grid



lgl



tree



```
plot(g, layout = layout.fruchterman.reingold(g))
```

# Let's practice!

NETWORK ANALYSIS IN R