

Environments, Reference Behavior, & Shared Fields

OBJECT-ORIENTED PROGRAMMING WITH S3 AND R6 IN R



Richie Cotton

Curriculum Architect at DataCamp

list

list

environment

```
env <- new.env()
```

```
lst <- list(x = pi ^ (1:5), y = matrix(month.abb, 3))
```

```
env$x <- pi ^ (1:5)
```

```
env[["y"]] <- matrix(month.abb, 3)
```

```
lst
```

```
$x  
3.141593  9.869604  31.006277  97.409091  306.019685
```

```
$y  
      [,1] [,2] [,3] [,4]  
[1,] "Jan" "Apr" "Jul" "Oct"  
[2,] "Feb" "May" "Aug" "Nov"  
[3,] "Mar" "Jun" "Sep" "Dec"
```

```
env
```

```
<environment: 0x103f3dfc8>
```

```
ls.str(lst)
```

```
x : num [1:5] 3.14 9.87 31.01 97.41 306.02  
y : chr [1:3, 1:4] "Jan" "Feb" "Mar" "Apr" "May" ...
```

```
ls.str(env)
```

```
x : num [1:5] 3.14 9.87 31.01 97.41 306.02  
y : chr [1:3, 1:4] "Jan" "Feb" "Mar" "Apr" "May" ...
```

```
lst2 <- lst  
(lst$x <- exp(1:5))
```

```
2.718282  7.389056  20.085537  54.598150  148.413159
```

```
lst2$x
```

```
3.141593  9.869604  31.006277  97.409091  306.019685
```

```
identical(lst$x, lst2$x)
```

```
FALSE
```

```
env2 <- env  
(env$x <- exp(1:5))
```

```
2.718282  7.389056  20.085537  54.598150  148.413159
```

```
env2$x
```

```
2.718282  7.389056  20.085537  54.598150  148.413159
```

```
identical(env$x, env2$x)
```

```
TRUE
```


copy by value

copy by value

copy by reference

```
thing_factory <- R6Class(  
  "Thing",  
  private = list(  
    shared = {  
      e <- new.env()  
      e$a_shared_field = 123  
      e  
    }  
  ),  
  active = list(  
    a_shared_field = function(value) {  
      if(missing(value)) {  
        private$shared$a_shared_field  
      } else {  
        private$shared$a_shared_field <- value  
      }  
    }  
  )  
)
```

```
a_thing <- thing_factory$new()  
another_thing <- thing_factory$new()
```

```
a_thing$a_shared_field
```

```
123
```

```
another_thing$a_shared_field
```

```
123
```

```
a_thing$a_shared_field <- 456  
another_thing$a_shared_field
```

```
456
```

Summary

- **Create** environments with `new.env()`
- **Manipulate** them using **list syntax**
- **Environments copy by reference**
- **Share R6 fields** using an **environment field**

Let's practice!

OBJECT-ORIENTED PROGRAMMING WITH S3 AND R6 IN R

Cloning R6 Objects

OBJECT-ORIENTED PROGRAMMING WITH S3 AND R6 IN R



Richie Cotton

Curriculum Architect at DataCamp

- Environments use copy by reference
- So do **R6** objects


```
thing_factory <- R6Class(  
  "Thing",  
  private = list(  
    ..a_field = 123  
  ),  
  active = list(  
    a_field = function(value) {  
      if(missing(value)) {  
        private$..a_field  
      } else {  
        private$..a_field <- value  
      }  
    }  
  )  
)
```

```
a_thing <- thing_factory$new()  
a_copy <- a_thing  
a_thing$a_field <- 456
```

```
a_copy$a_field
```

```
456
```

`clone()` copies by value

```
a_clone <- a_thing$clone()
```

```
a_thing$a_field <- 789  
a_clone$a_field
```

456

```
container_factory <- R6Class(  
  "Container",  
  private = list(  
    ..thing = thing_factory$new()  
  ),  
  active = list(  
    thing = function(value) {  
      if(missing(value)) {  
        private$..thing  
      } else {  
        private$..thing <- value  
      }  
    }  
  )  
)
```

```
a_container <- container_factory$new()  
a_clone <- a_container$clone()
```

```
a_container$thing$a_field <- "a new value"  
a_clone$thing$a_field
```

```
"a new value"
```

```
a_deep_clone <- a_container$clone(deep = TRUE)
```

```
a_container$thing$a_field <- "a different value"  
a_deep_clone$thing$a_field
```

```
"a new value"
```

Summary

- R6 objects copy **by reference**
- **Copy** them **by value** using `clone()`
- `clone()` is **autogenerated**
- `clone(deep = TRUE)` is for **R6** fields

Let's practice!

OBJECT-ORIENTED PROGRAMMING WITH S3 AND R6 IN R



Shut it Down


OBJECT-ORIENTED PROGRAMMING WITH S3 AND R6 IN R



Richie Cotton

Curriculum Architect at DataCamp





`initialize()` customizes **startup**

`finalize()` customizes **cleanup**

```
thing_factory <- R6Class(  
  "Thing",  
  private = list(  
    ..a_field = 123  
  ),  
  public = list(  
    initialize = function(a_field) {  
      if(!missing(a_field)) {  
        private$a_field = a_field  
      }  
    },  
    finalize = function() {  
      message("Finalizing the Thing")  
    }  
  )  
)  
)
```

```
a_thing <- thing_factory$new()
```

```
rm(a_thing)
```

```
gc()
```

```
Finalizing the Thing
```

	used (Mb)	gc	trigger (Mb)	max	used (Mb)	
Ncells	443079	23.7	750400	40.1	592000	31.7
Vcells	718499	5.5	1308461	10.0	1092342	8.4

```
library(RSQLite)
database_manager_factory <- R6Class(
  "DatabaseManager",
  private = list(
    conn = NULL
  ),
  public = list(
    initialize = function(a_field) {
      private$conn <- dbConnect("some-database.sqlite")
    },
    finalize = function() {
      dbDisconnect(private$conn)
    }
  )
)
```


Summary

- `finalize()` cleans up after R6 objects
- It is useful when **working with databases**
- It gets called during **garbage collection**

Let's practice!

OBJECT-ORIENTED PROGRAMMING WITH S3 AND R6 IN R