

# Introduction to dates

WORKING WITH DATES AND TIMES IN R



**Charlotte Wickham**  
Instructor

# Dates

Different conventions in different places

27th Feb 2013

- NZ: 27/2/2013
- USA: 2/27/2013



# ISO 8601 YYYY-MM-DD

- Values ordered from the largest to smallest unit of time
- Each has a fixed number of digits, must be padded with leading zeros
- Either, no separators for computers, or `-` in dates
- 1st of January 2011 -> 2011-01-01

# Dates in R

```
2003-02-27
```

```
1974
```

```
"2003-02-27"
```

```
"2003-02-27"
```

```
str("2003-02-27")
```

```
chr "2003-02-27"
```

```
as.Date("2003-02-27")
```

```
"2003-02-27"
```

```
str(as.Date("2003-02-27"))
```

```
Date[1:1], format: "2003-02-27"
```

- Packages that import dates:  
`readr`, `anytime`

# Let's practice!

WORKING WITH DATES AND TIMES IN R

# Why use dates?

WORKING WITH DATES AND TIMES IN R



**Charlotte Wickham**  
Instructor

# Dates act like numbers

Date objects are stored as days since 1970-01-01

```
as.Date("2003-02-27") > as.Date("2002-02-27")
```

```
TRUE
```

```
as.Date("2003-02-27") + 1
```

```
"2003-02-28"
```


```
as.Date("2003-02-27") - as.Date("2002-02-27")
```

```
Time difference of 365 days
```



# Plotting with dates


```
x <- c(as.Date("2003-02-27"),  
      as.Date("2003-03-27"),  
      as.Date("2003-04-27"))  
plot(x, 1:3)
```



# Plotting with dates

```
x <- c(as.Date("2003-02-27"),  
      as.Date("2003-03-27"),  
      as.Date("2003-04-27"))
```

```
library(ggplot2)  
ggplot() +  
  geom_point(aes(x = x, y = 1:3))
```



# R releases

releases

```
# A tibble: 105 x 7
  major minor patch      date      datetime      time  type
  <int> <int> <int>   <date>   <dtm>   <time> <chr>
1     0     60    NA 1997-12-04 1997-12-04 08:47:58 08:47:58 patch
2     0     61    NA 1997-12-21 1997-12-21 13:09:22 13:09:22 minor
3     0     61     1 1998-01-10 1998-01-10 00:31:55 00:31:55 patch
4     0     61     2 1998-03-14 1998-03-14 19:25:55 19:25:55 patch
5     0     61     3 1998-05-02 1998-05-02 07:58:17 07:58:17 patch
6     0     62    NA 1998-06-14 1998-06-14 12:56:20 12:56:20 minor
7     0     62     1 1998-06-14 1998-06-14 22:13:25 22:13:25 patch
8     0     62     2 1998-07-10 1998-07-10 11:13:45 11:13:45 patch
9     0     62     3 1998-08-28 1998-08-28 09:02:19 09:02:19 patch
10    0     62     4 1998-10-23 1998-10-23 12:08:41 12:08:41 patch
# ... with 95 more rows
```

# Let's practice!

WORKING WITH DATES AND TIMES IN R

# What about times?

WORKING WITH DATES AND TIMES IN R



**Charlotte Wickham**  
Instructor

# ISO 8601

HH:MM:SS

- Largest unit to smallest
- Fixed digits
  - Hours: 00 -- 24
  - Minutes: 00 -- 59
  - Seconds: 00 -- 60 (60 only for leap seconds)
- No separator or `:`

# Datetimes in R

- Two objects types:
  - `POSIXlt` - list with named components
  - `POSIXct` - seconds since 1970-01-01 00:00:00
- `POSIXct` will go in a data frame
- `as.POSIXct()` turns a string into a `POSIXct` object

```
x <- as.POSIXct("1970-01-01 00:01:00")  
str(x)
```

```
POSIXct[1:1], format: "1970-01-01 00:01:00"
```

# Timezones

- `"2013-02-27T18:00:00"` - 6pm local time
- `"2013-02-27T18:00:00Z"` - 6pm UTC
- `"2013-02-27T18:00:00-08:00"` - 6pm in Oregon

```
as.POSIXct("2013-02-27T18:00:00Z")
```

```
"2013-02-27 PST"
```

```
as.POSIXct("2013-02-27T18:00:00Z", tz = "UTC")
```

```
"2013-02-27 UTC"
```



# Datetimes behave nicely too

Once a `POSIXct` object, datetimes can be:

- Compared
- Subtracted
- Plotted

# Let's practice!

WORKING WITH DATES AND TIMES IN R

# Why lubridate?

WORKING WITH DATES AND TIMES IN R



**Charlotte Wickham**  
Instructor

# lubridate

- Make working with dates and times in R easy!
- `tidyverse` package
  - Plays nicely with builtin datetime objects
  - Designed for humans not computers
- Plays nicely with other `tidyverse` packages
- Consistent behaviour regardless of underlying object

# Parsing a wide range of formats

```
ymd("2013-02-27")
```

```
"2013-02-27"
```

```
dmy("27/2/13")
```


```
"2013-02-27"
```

```
parse_date_time(c("Feb 27th, 2017", "27th Feb 2017"),  
+ order = c("mdy", "dmy"))
```

```
"2017-02-27 UTC" "2017-02-27 UTC"
```

# Manipulating datetimes

```
# Extract components
akl_daily <- akl_daily %>%
  mutate(
    year = year(date),
    yday = yday(date),
    month = month(date, label = TRUE)
  )
```



# Time spans



```
# A tibble: 131 x 3
  name          period
  <chr>         <S4: Period>
1 Elizabeth II 65y 7m 27d 0H 0M 0S
2 Victoria    63y 7m 2d 0H 0M 0S
3 George V    25y 8m 14d 0H 0M 0S
4 George III  19y 0m 28d 0H 0M 0S
5 George VI   15y 1m 26d 0H 0M 0S
```

# Other lubridate features

- Handling timezones
- Fast parsing of standard formats
- Outputting datetimes



# Let's practice!

WORKING WITH DATES AND TIMES IN R